



the machine

New table-top machine for dispensing high quality beverages. Its large capacity and flexibility make it suitable for a wide variety of locations.

Select your drink using the icons of the capacitive touch panel. Some buttons can be used as pre-selections, bringing the range of beverages up to 24. The machine is equipped with a 3.5" graphic display.

Capacitive touch panel



Cino doppio&cup can accept plastic and paper cups of 70, 73, and 80 mm in diameter, with a volume of up to 300 cc. Moreover, a special cup sensor allows you to use your own personal mug.

Choose cups



Side panels, front panel and icons labels: the machines are highly customizable to meet every customer's needs.

Customization



Cutting edge brewing technology

Variflex is a new adjustable brewer that offers a wide range of beverages. Innovative technology, quality and versatility are built into every feature: the volume of the chamber adapts automatically to the quantity of ground coffee required by each beverage, thereby optimizing both consumption and quality.



A wide range of hot drinks

Top quality beverages and mixes are available to satisfy every taste. Customers can choose from Italian specialties such as classic espresso or cappuccino, as well as from other global standards of coffee.



Rfid and tm-on ready

Cino doppio&cup is configured for TM-ON remote control telemetry and for rheavendors' RFID system.



functions/external

Perfect user-friendliness in an elegant and ergonomic machine.
A simple user interface using a touch panel and a graphic display.



components/internal

Internal components can be easily removed for cleaning and maintenance.



customization

White, black or custom?



Cino doppio&cup is available in standard black and white versions. The machine can also be fully customized: the colors of the panel, icons and lights are modifiable according to your needs and preferences. The customizable area of the panel is backlit.

And what's your perfect menu?



Interchangeable drink icon menu. Touch panel with 12 direct selections or 2/4 pre-selections. Through an interchangeable set of max. 40 icons, you can choose your drinks and change them whenever you wish.

Caffè, coffee or kaffee?




A complete set of drink icons. During standby the labels are all lit; while dispensing only the selected label remains illuminated. The machine makes a sound when a selection button is pushed.

accessories

Cino doppio&cup can be paired with the modul<on accessories, each with a specific function, ideal for addressing every possible need.

modul<on



- 1 2 modul<on tea bag dispenser**
- teabag and infusion dispenser
- teabag and infusion dispenser with cups and lids

- 3 4 modul<on water**
- water tank, cups, drawers
- water tank

- 5 6 modul<on cups**
- cups and lids
- cups, lids, drawer


- 7 modul<on unibase**
- A new cabinet that allows maximum flexibility of the modul<on system.

the range

Cino doppio&cup, the next-generation, fully automatic table top machine to complete the Cino family.



technical data



| | Cino doppio&cup espresso | Cino doppio&cup instant |
|----------------------------------|--|----------------------------------|
| Main | | |
| Brewer Variflex | v | - |
| Cups dispenser | v | v |
| Cups station | closed | closed |
| Cup sensor | v | v |
| Water supply | plumbed | plumbed |
| Sizing (no. consumption day) | 80 (up to 100) | 80 (up to 100) |
| Selections | | |
| Buttons | up to 12 | up to 12 |
| Touch panel - pre-sel/direct no. | 2-4*8/12 | 2-4*8/12 |
| Sugar level buttons | 2 | 2 |
| Cups capacity | | |
| plastic | ø 70-265 / ø 73-210 | ø 70-265 / ø 73-210 |
| paper | ø 70-160 / ø 73-160 / ø 80-125 * | ø 70-160 / ø 73-160 / ø 80-125 * |
| Technical Data | | |
| Height (mm) | 832 | 832 |
| Depth (mm) | 617 | 617 |
| Width (mm) | 476 | 476 |
| Weight (mm) | 66,4 | 56,5 |
| Max no. canisters | $1+5(S+S+S+S+S)/1+4(S+S+S+B)/1+3(S+B+B)$ | $7(S+S+S+S+S+S) + 6(S+S+S+S+B)$ |
| Max no. mixing bowls | 3 | 4 |
| Boiler | 1 | 1 |
| Boiler capacity (lt) | 1 x 0,4 or 1x 0,8 | 1 x 3,4 |
| Electrical supply (volts/Hz) | 230/50-60 | 230/50-60 |
| Power (W) | 1 x 1600 or 1 x 2100 | 1 x 1700 |
| Plug type | schüco 10 A | schüco 10 A |
| Stirrers (90-105-115 mm) | max. 265 | max. 265 |
| Colour | | |
| Panel | white / black | white / black |
| Canister Capacity (kg) | | |
| Coffee Beans | 1 x 1,5 | - |
| Instant coffee | small 0,53/ big 1,1 | small 0,53/ big 1,1 |
| Milk | small 0,6/ big 1,30 | small 0,6/ big 1,30 |
| Chocolate | small 1,5/ big 3,3 | small 1,5/ big 3,3 |
| Tea | small 2/ big 4,3 | small 2/ big 4,3 |
| Sugar | small 2/ big 4,3 | small 2/ big 4,3 |
| Orzo | small 0,55/ big 1,15 | small 0,55/ big 1,15 |
| Ginseng | small 1,65/ big 3,5 | small 1,65/ big 3,5 |
| Exhausted pads | 70 | - |
| Options | | |
| Tm-on | v | v |
| Rfid | v | v |
| Direct hot Water | v | v |
| Payment systems | v | v |
| Accessories | | |
| Modul<on cups | v | v |
| Modul<on water | v | v |
| Modul<on dispenser | v | v |
| Modul<on change-giver | v | v |
| Modul<on Unibase | v | v |

* cups capacity can vary according to the model and to the pitch of the cup

last update 10/2015

Rheavendors group reserves the right to change the technical features, colors and design of the machine without prior notice.