









GAS zero impact global warming

FIRST ON THE MARKET





BOX

The underconter version with a contituous supply capacity of 6, 12, 18, 45, 80 and 150 litres! Also available with Natural gas.



Natural refrigerant gases

With totally natural refrigerants (HC) such as R290. An ecological choice, with the added advantage of a more silent compressor and ensuring a longer life to the entire refrigerant apparatus. The Blupura BOX is an understated, functional presence within the units of any kitchen or in the coffee-break area of any office.



BOX - Technical Data		Dimensions WxDxH (mm)	Net weight (kg)	(jzz)	hot	GAS R290	Cooling technology
BLU SODA BOX 30		260x416x416	22 (25 Fizz)	Op.		٠	DRY
BLU SODA BOX HOT 30	30 ^{II/I}	260x416x416	24 (26 Fizz)	Op.	8 It/h	٠	COOLING
BLU SODA BOX 45	45 ^{n/h}	318x440x467	28 (31 Fizz)	Op.		٠	DRY
BLU SODA BOX Hot 45	45 ^{II/I}	318x440x467	29 (32 Fizz)	Op.	(8 It/h	•	COOLING
BOX 60		318x335x467	20 (22 Fizz)	Op.		٠	ICE
BOX HOT 60	60 II/I	318x335x467	22 (24 Fizz)	Op.	(8 It/h	٠	ICE
BOX 80		320x456x467	25 (29 Fizz)	Op.		٠	ICE
BOX 150		475x458x520	30 (33 Fizz)	Op.		•	ICE BANK
BOX 280		578x759x717	78 (83 Fizz)	Op.		٠	ICE BANK

- Easy access to internal parts.
- Entirely made of stainless steel.
- With 3 supply options: Cold still water, Room temperature water, Sparkling water.

R290

zero impact on global warming FIRST ON THE MARKET

- Professional steel carbonator.
- Pump protection system in case of lack of water.

Optional extras:

- Activated carbon filter inlet UV.
- CO₂ pressure reducer.
- Water pressure reducer.

BLUSida BOX

The same compact size and performance as BluSoda is also available in the undercounter version, which can be housed discreetly and practically inside either a kitchen cupboard or office cabinet. A smart, space-saving solution where only the delivery point is visible, leaving you the freedom to choose the most suitable supply tap to suit your environment.

30 It/h

lt/k



This is an innovative direct cooling technology with the serpentine water coils (stainless steel) and the refrigerant gas coils (copper) housed within a single aluminium cast. The dry cooling system guarantees reduced dimensions but with professional cooling performance, perfect for the needs of home and office consumption.





This is the most high-end professional cooling technology, which is necessary in all those hospitality industry situations in which the highest levels of performance are essential.

These levels are reliably achieved thanks to the immersion of the water coils and the refrigerant gas coils into an ice bank.





Accessories





Blupura S.r.l. Registered Office: Via F.lli Brancondi, 56 - 60025 Loreto (An) - Italy Headquarters: Via Erideo Marinucci, 2/4 - Zona Industriale Squartabue - 62019 Recanati (Mc) - Italy Tel. +39 071 971 0080 - Fax +39 071 971 0084 - info@blupura.com Blupura Usa - 1200 Brickell Ave, Suite 1950 - Miami (FL) 33131 - USA - Tel. +1 305 777 3591 - blupurausa@blupura.com

www.blupura.com